

Above Ground Weighbridge

RSO Trading

Qom , Iran

P.O.Box : 37158-39953

☎: +98 2532912510

📠: +98 2532912510


RSOTrading.com

✉: info@rsotrading.com




❖ Weigh Bridge – Above Ground

Associated Scale Services Pty Ltd has been manufactures weighing equipment for the past 17years for the Australian, Australasian and the Asian region from Brisbane, Queensland Australia. As the manufacturer of weigh bridges, sizes and capacities are to the customers' requirements to ensure full flexibility in incorporating the system into the true application. Discussions on what is required are essential to ensure that what is required to be weighed is what is finally delivered. These consultations are through an experienced sales person who has many years of experience in both the sales and applications. (Photo is of 18m x 3m, 60t Above Ground, Trade Approved and Weighbridge)



Platform





Display LD 5218 design

Display model 5218 is produced by Leon Engineering (Europe Union) is suitable for road bascule with and Europe union OIML standards with following characteristics:

- Table design (stainless model by choice)
- LCD display, 16 character with interior degree of 9900000 parts
- Alfa Numeric keyboard for data input
- RS232,RS48S output for connection with printer and PC

Load-cell ASC design

Load-cell ASC design is produced by Revere Company in Holland and is used in many of bascules all over the world and has the minimum breakdown statics

- Using of the most accurate pieces in producing load-cell
- Resistant against shock's voltage (surge protection)
- Having 6000D,OMIL,R60 certificate and crust protection IP68
- Full sealing Steel body for using in worse conditions



Epson printer LQ300+II design

Epson printer LQ300+II design for printing weighting note and statics' reports.



Weighting software

- Weighting software is presentable in Persian language
- Full Static and management reports in daily or time periods manner
- Way Bridge note with optional format in Persian language
- Ability of saving data on CD
- Ability of introducing various operators with different access levels